

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2001


Art. 0201: 4 leg base with polypropylene shell
Art. 0201BV: 4 leg base with polypropylene shell and armrests

Stackable chair with four-leg base frame, in chromed, brushed or painted stainless steel, with or without armrests. The shell is available in single-color and bi-color polypropylene (ColorBi®) standard or inverted, or upholstered in hard leather grade 1 or 2. The versions with polypropylene shell and painted or brushed stainless steel base can be used outdoor. Available with steel armrests, also with polypropylene support.



clip.it.easy

Dimensions*




* Files CAD 2D - 3D available for download at www.arper.com

Shipment details


Art. 0201	kg	m ³	lb	ft ³
1 PCS = 2 boxes	9.5	0.297	20.9	10.488
4 PCS = 2 boxes	26.54	0.368	58.388	12.995
Art. 0201BV				
1 PCS = 3 boxes	11.86	0.325	26.092	11.477
4 PCS = 3 boxes	34.44	0.404	75.768	14.267

Base finishes



Materials

Polypropylene - Hard leather



Outdoor use only for PO + S03, V12, V41, V37, V39

Stacking options

Art. 0201 with stacking pad
 PP: up to 10 pcs. - CU and CT: up to 5 pcs.
 PP: up to 20 pcs. - CU and CT: up to 5 pcs.

Art. 0201BV with stacking pad
 PP: up to 5 pcs. - CU and CT: up to 5 pcs.

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2001


Art. 0203: 4 leg base with upholstered shell
 Art. 0203BV: 4 leg base with upholstered shell and armrests

Stackable chair with four-leg base frame, in chromed, brushed or painted stainless steel, with or without armrests. The shell is fully upholstered in leather, faux leather, fabric or customer's fabric. Available with steel armrests, also upholstered.



clip.it.easy

Dimensions*




* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

Art. 0203	kg	m ³	lb	ft ³
1 PCS = 2 boxes	10.5	0.301	23.1	10.629
4 PCS = 2 boxes	30.94	0.408	68.068	14.408
Art. 0203BV	kg	m ³	lb	ft ³
1 PCS = 3 boxes	12.86	0.329	25.96	10.170
4 PCS = 3 boxes	38.84	0.444	80.52	14.832

Base finishes




Stacking options

Art. 0203 with stacking glide
 FABRIC: up to 8 pcs. - LEATHER: max 5 pcs.


Art. 0203BV with stacking glide
 FABRIC: up to 5 pcs. - LEATHER: max 5 pcs.

Materials

Fabric by kvadrat and No Stain



Faux leather, Soft leather and chrome free leather by elmo.



Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2001

Art. 0199: 4 leg base with wood shell


Art. 0199BV: 4 leg base with wood shell and armrests

Stackable chair with four-leg base frame, in chromed, brushed or painted stainless steel, with or without armrests. The wood shell is available in three color finishes (natural oak, bleached oak, wengé). Available with steel armrests.



clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0199				
1 PCS = 2 boxes	9.42	0.297	20.724	10.488
4 PCS = 2 boxes	25.94	0.372	57.068	13.317
Art. 0199BV				
1 PCS = 3 boxes	17.78	0.325	25.916	11.477
4 PCS = 3 boxes	33.84	0.408	74.448	14.408

Base finishes



CRO
Chrome
finish steel



S03
Brushed
stainless
steel



V12 White
lacquered
Matt



V41 Grey
lacquered
Semi gloss



V37 Green
lacquered
Glossy



V39 Black
lacquered
Matt

Stacking options

Art. 0199 with stacking pad

Up to 10 pcs.

Art. 0199BV with stacking pad

Up to 5 pcs.

Materials

Wood



L
Wood
3 colors

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2001

Art. 2040: 4 leg base with front-face upholstered shell


Art. 2040BV: 4 leg base with front-face upholstered shell and armrests

Stackable chair with four-leg base frame, in chromed, brushed or painted stainless steel, with or without armrests. The polypropylene shell is available with front-face upholstery in leather, faux leather, fabric or customer's fabric. Available with steel armrests, also upholstered.



clip.it.easy

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

Art. 2040	kg	m ³	lb	ft ³
1 PCS = 2 boxes	11.30	0.301	24.86	10.629
4 PCS = 2 boxes	34.20	0.408	75.24	14.408
Art. 2040BV				
1 PCS = 3 boxes	13.66	0.329	30.05	11.618
4 PCS = 3 boxes	42.10	0.444	92.62	15.679

Base finishes



CRO
Chrome
finish steel



S03
Brushed
stainless
steel



V12 White
lacquered
Matt



V41 Grey
lacquered
Semi gloss



V37 Green
lacquered
Glossy



V39 Black
lacquered
Matt

Stacking options

Art. 2040 with stacking glide

FABRIC: up to 8 pcs. - LEATHER: max 5 pcs.

FABRIC: up to 8 pcs. - LEATHER: max 5 pcs.

Art. 2040BV with stacking glide

FABRIC: up to 5 pcs. - LEATHER: max 5 pcs.

FABRIC: up to 5 pcs. - LEATHER: max 5 pcs.

Materials

Polypropylene



PO
Polypropylene
9 colors

Fabric by kvadrat and No Stain



Topas 2
67 colors



Hallingdal 65
58 colors



Remix
25 colors



Cava 3
49 colors



Flora 2
33 colors



Pro 2
35 colors



Lazio 2
28 colors



Clara
28 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors



No Stain
34 colors



Divina 3
56 colors



Divina
Melange 2
24 colors



Tonus 3
64 colors



Field
24 colors



Steelcut
Trio 2
49 colors



Sunniva
12 colors



Steelcut 2
37 colors

Faux leather, Soft leather and chrome free leather by elmo.



PI
Faux
leather
52 colors



PF
Soft leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2001

Art. 2094: 4 leg base with wood shell and front-face upholstery


Art. 2094BV: 4 leg base with wood shell, front-face upholstery and armrests

Stackable chair with four-leg base frame, in chromed, brushed or painted stainless steel, with or without armrests. The double-curved wood shell is available in three finishes (natural oak, bleached oak, wengé) with front-face upholstery in leather, faux leather, fabric or customer's fabric. Available with steel armrests, also upholstered



clip.it.easy

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

Art. 2094	kg	m ³	lb	ft ³
1 PCS = 2 boxes	11.30	0.301	24.86	10.629
4 PCS = 2 boxes	34.20	0.408	75.24	14.408
Art. 2094BV				
1 PCS = 3 boxes	13.66	0.329	30.05	11.618
4 PCS = 3 boxes	42.10	0.444	92.62	15.679

Base finishes



CRO
Chrome
finish steel



S03
Brushed
stainless
steel



V12 White
lacquered
Matt



V41 Grey
lacquered
Semi gloss



V37 Green
lacquered
Glossy



V39 Black
lacquered
Matt

Stacking options

Art. 2094 with stacking glide

FABRIC: up to 8 pcs. - LEATHER: max 5 pcs.

FABRIC: up to 8 pcs. - LEATHER: max 5 pcs.

Art. 2094BV with stacking glide

FABRIC: up to 5 pcs. - LEATHER: max 5 pcs.

FABRIC: up to 5 pcs. - LEATHER: max 5 pcs.

Materials

Wood



L
Wood
3 colors

Fabric by kvadrat and No Stain



Topas 2
67 colors



Hallingdal 65
58 colors



Remix
25 colors



Cava 3
49 colors



Flora 2
33 colors



Pro 2
35 colors



Lazio 2
28 colors



Clara
28 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors



No Stain
34 colors



Divina 3
56 colors



**Divina
Melange 2**
24 colors



Tonus 3
64 colors



Field
24 colors



**Steelcut
Trio 2**
49 colors



Sunniva
12 colors



Steelcut 2
37 colors

Faux leather, Soft leather and chrome free leather by elmo.



PI
Faux
leather
52 colors



PF
Soft leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2010

Options and accessories



1

2

3

4



5

6



7

8

9



10

11

12

- | | | | |
|---|---|----|--------------------------------------|
| 1 | Armrest | 7 | Basket |
| 2 | Painted armrest | 10 | Trolley |
| 3 | Armrest with polypropylene
one color | 11 | Stacking protection pad |
| 4 | Armrest upholstered | 12 | Stacking protection pad
with link |
| 5 | Cushion | | |
| 6 | Set of glides | | |

Catifa 53 / 4 Legs

Design by Lievore Altherr Molina, 2010

Fire Retardant Test

POLYPROPYLENE FIRE RETARDANT:
 - colour PO00101
 - colours PO00102, PO00103, PO00106 qty. min. 300 pcs.

UK DOMESTIC:
 BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene



epd-norge.no

Resistance Test

Art. 0201 and 0201BV

CHROMED:
 EN 1022/05
 EN 1728/2000 - EN 15373:2007 6.2.1 3°
 EN 1728/2000 - EN 15373:2007 6.2.2 3°
 EN 1728/2000 - EN 15373:2007 6.7 3°
 EN 1728/2000 - EN 15373:2007 6.16 3°

INOX:
 EN 1728/2000 - EN 15373:2007 6.2.1 3°
 EN 1728/2000 - EN 15373:2007 6.2.2 3°
 EN 1728/2000 - EN 15373:2007 6.7 3°



UK CONTRACT:
 BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Divina 3, Divina Melange 2).

UK DOMESTIC:
 BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
 USA Technical Bulletin 117: Fabric. Faux leather



Art. 0203 e 0203BV

CHROMED:
 EN 1022/05
 EN 1728/2000 - EN 15373:2007 6.2.1 3°
 EN 1728/2000 - EN 15373:2007 6.2.2 3°
 EN 1728/2000 - EN 15373:2007 6.7 3°
 EN 1728/2000 - EN 15373:2007 6.16 3°

INOX:
 EN 1728/2000 - EN 15373:2007 6.2.1 3°
 EN 1728/2000 - EN 15373:2007 6.2.2 3°
 EN 1728/2000 - EN 15373:2007 6.7 3°



UK DOMESTIC:
 BS5852/90 Sez.5 cigarette match



Art. 0199 e 0199BV

EN 1022/05
 EN 1728/2000 - EN 15373:2007 6.2.1 3°
 EN 1728/2000 - EN 15373:2007 6.2.2 3°
 EN 1728/2000 - EN 15373:2007 6.7 3°
 EN 1728/2000 - EN 15373:2007 6.8 3°



UK CONTRACT:
 BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2).

UK DOMESTIC:
 BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Glove 2).
 USA Technical Bulletin 117: Fabric. Faux leather



Art. 2040 e 2040BV

EN 1728/2000 6.2.1 5°
EN 1728/2000 6.2.2 5°
EN 1728/2000 6.7 5°



UK CONTRACT:
 BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Divina 3, Divina Melange 2).

UK DOMESTIC:
 BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
 USA Technical Bulletin 117: Fabric. Faux leather



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

* For more information on product's certification and environment documents visit www.arper.com or contact us at environment@arper.com